~	•							
Declassified in	Part -	Sanitized Copy	Approved for F	Release 20	013/01/17 :	CIA-RD	P89B00552R	000800070054-6

			**	
			7 *	
1. A contra	ct was signe	d in June 196	5 for the	constructio
and installation	of a	chamber		
2			• • • •	•
2.	at a cost to	_paid for a bu	uilding t	o house the
	ac a cost to	the contracto	or app	Toximately
amortization clau	se which sta amortized ov	er a 10 year p contract was aining unamort	period st terminat tized val	ed in Mav
4. The deci	sion to term	inate		
of 1975 was based	on-a	budget redu	iction.	· · · · · · · · · · · · · · · · · · ·

	a. No Agency need existed at that time nor in the foreseeable future		25X ²
	b. The test equipment in question has been used for approximately 8 years. The COTR considered it to be obsolete and excess to the Agency's needs		25 X ′
	c. The unamortized value to the Government of approximately \$46,000.		25 X
			25X1
		2 2 2 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
			* :
other County (N. F. a. St., or St., being on the control of the county o	e. Our civil engineers have estimated the cost of removal and and restoration of the building to be		25X′ 25X1
	(estimate attached).		25X 25X
below	6. In summary three options were available. Option b. was chosen.	The second	
	a. restore the premises at the cost stated above.	and the second s	25X
	b. Negotiate a settlement allowing the Government to abandon in place and save the cost of removal and restoration.		25X1

Declassified in Part - Sanitized Copy Approved for Release 2013/01/17 : CIA-RDP89B00552R000800070054-6

25X1

25X1

25X1

25X1

STAT

7. It is well to note that

The standard of the facilities and the subsection of the facilities of the facilities due to an insufficient market for the facility.

The standard of the facilities of the facilities of the facility.

The standard of the facilities of the facility of the facility.

The standard of the facilities of the facility of the facility of the facility.

Attachment as stated

